

RACE	8.5T
TRACK NAME	AARC
CITY / COUNTRY	
DATE	

TEMPERATURE	AIR	TRACK
QUALIFYING POSITION	BEST LAPTIME	FINAL POSITION
	SEC	MIN
TRACK CONDITION	<input type="checkbox"/> CARPET	<input checked="" type="checkbox"/> ASPHALT
<input type="checkbox"/> TECHNICAL	<input type="checkbox"/> MIXED	<input checked="" type="checkbox"/> FAST
TRACTION	<input checked="" type="checkbox"/> LOW	<input type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	REAR
TRANSMISSION	
GEAR DIFF	GEAR DIFF
<input type="checkbox"/> CST	<input checked="" type="checkbox"/> 5000 (3000) CST
<input type="checkbox"/> ONE WAY	Number of Gears
<input checked="" type="checkbox"/> SPOOL	<input type="checkbox"/> 2 <input checked="" type="checkbox"/> 4

PINION	22 T	SPUR GEAR	80 T
CENTER PULLEY	<input type="checkbox"/> 19T <input checked="" type="checkbox"/> 20T	FINAL DRIVE RATIO	6.9

SHOCK SET	
<input type="checkbox"/> SHORT + <input type="checkbox"/> PDS	<input checked="" type="checkbox"/> ULTRA SHORT

FRONT	OIL	REAR
500 CST	500 CST	500 CST
YELLOW	SPRING	YELLOW
4 1.1 mm	HOLES / DIA MEER	4 1.1 mm
%	REBOUND	%

ANTI-ROLL BAR	
FRONT	REAR
1.2 mm	1.2 mm

SWEEP	TIRES	SWEEP
30-40MIN	ADDITIVE TIMING	30-40MIN
RAGON/PRO	ADDITIVE	AGON / PRO
FL FR	TREATED AREA	RL RR

BODY MOUNT DISTANCE	
mm	

BODY	BLITZ S100	WING
------	------------	------

STEER BLOCK SHIMS	STEER BLOCK SETUP
<input type="checkbox"/> 0 <input checked="" type="checkbox"/> 0.5 <input type="checkbox"/> 1.0	<input checked="" type="checkbox"/> R118041
1.0 0.5 0	BUMP STEER SHIMS
mm mm mm	0 mm

NOTE
------

### FRONT

CAMBER	UPPER BALL END HOLE
2	OPEN <input checked="" type="checkbox"/> CLOSED
	SHIMS UNDER SHOCK
	2 mm
STEERING BLOCK	SHIMS
<input checked="" type="checkbox"/> HARD <input type="checkbox"/> STD	1 mm
	3 mm
OFFSET	SHIMS UNDER SHOCK
-0.75mm <input checked="" type="checkbox"/> 0 mm <input type="checkbox"/> +0.75mm	0 mm
	C-HUB
	<input checked="" type="checkbox"/> STD <input type="checkbox"/> HARD
DOWNSTOP	5.5 mm
	5 mm
	RIDE HEIGHT

Front Shock Position
ARM HARDNESS
<input checked="" type="checkbox"/> HARD <input type="checkbox"/> STD <input type="checkbox"/> SOFT

### REAR

REAR TOWER	UPPER BALL END HOLE	CAMBER
<input checked="" type="checkbox"/> R118037 <input type="checkbox"/> R118026	OPEN <input type="checkbox"/> CLOSED <input checked="" type="checkbox"/>	2
	SHIMS UNDER SHOCK	
	2 mm	
SHIMS	SHIMS	
3 mm	3 mm	
SHIMS UNDER SHOCK	SHIMS UNDER SHOCK	
0 mm	0 mm	
REAR CVD	UPRIGHT	
<input checked="" type="checkbox"/> REAR DJ CVD	<input type="checkbox"/> STD <input checked="" type="checkbox"/> HARD	
DOWNSTOP	5.5 mm	
	5.2 mm	
	RIDE HEIGHT	

Rear Shock Position
ARM HARDNESS
<input checked="" type="checkbox"/> HARD <input type="checkbox"/> STD <input type="checkbox"/> SOFT

### SUSPENSION INSERT CHART

FF	<input checked="" type="checkbox"/> 0 <input type="checkbox"/> 0.5 <input type="checkbox"/> 1.0 <input type="checkbox"/> 1.5 <input type="checkbox"/> 2.0
<input checked="" type="checkbox"/> Alu <input type="checkbox"/> Brass	
SHIMS	mm
FR	<input checked="" type="checkbox"/> 0 <input type="checkbox"/> 0.5 <input type="checkbox"/> 1.0 <input type="checkbox"/> 1.5 <input type="checkbox"/> 2.0
<input checked="" type="checkbox"/> Alu <input type="checkbox"/> Brass	
SHIMS	mm

RF	<input checked="" type="checkbox"/> 0 <input type="checkbox"/> 0.5 <input type="checkbox"/> 1.0 <input type="checkbox"/> 1.5 <input type="checkbox"/> 2.0
<input checked="" type="checkbox"/> Alu <input type="checkbox"/> Brass	
SHIMS	mm
RR	<input type="checkbox"/> 0 <input type="checkbox"/> 0.5 <input checked="" type="checkbox"/> 1.0 <input type="checkbox"/> 1.5 <input type="checkbox"/> 2.0
<input checked="" type="checkbox"/> Alu <input type="checkbox"/> Brass	
SHIMS	mm

### CENTER FLEX SETUP

<input checked="" type="checkbox"/> NONE
SCREW

### ATS SETUP

UPRIGHT SHIMS
mm
BASE SHIMS
mm
Active Toe

TOE	OUT 2 IN 2
mm	
CHASSIS	BATTERY MOUNT
<input checked="" type="checkbox"/> ALUMINUM <input type="checkbox"/> CARBON	<input checked="" type="checkbox"/> TAPE <input type="checkbox"/> R119016
ver	BATTERY WEIGHT
	g
DIFF HEIGHT	NUT TOWER
<input checked="" type="checkbox"/> HIGH <input type="checkbox"/> LOW	<input checked="" type="checkbox"/>
PULLEY	BELL CRANK SETUP
<input checked="" type="checkbox"/> STANDARD <input type="checkbox"/> LOW FRICTION	0 mm
BALL END	FLOATING MOUNT
<input checked="" type="checkbox"/> STANDARD <input type="checkbox"/> LOW FRICTION	R113006 R118039
	DIFF HEIGHT
	<input checked="" type="checkbox"/> HIGH <input type="checkbox"/> LOW
	REAR ARM
	<input checked="" type="checkbox"/> STANDARD <input type="checkbox"/> ATS SYSTEM